

MAXXTHOR TURBO

FAST ACTION INSECTICIDE

Reg. No. L10023 Act/Wet No. 36 of/van 1947
Namibian Reg. No. N-AR1730

For sale to and use by registered
pest control operators only

Slegs vir verkoop aan en gebruik deur
geregistreerde plaagbeheeroperateurs

A suspension concentrate contact and knockdown insecticide with residual action for the control of ants, bedbugs cockroaches, fleas, flies, mosquitoes in and around commercial, industrial, domestic and public buildings and structures including food handling premises and repelling the Northern harvester termite in the home garden.

'n Suspensie konsentraat kontak- en uitklopinskoder vir die beheer van bosluise, kakkerlakke, miere, muskiete, vlieë, vlooië en weeluse in en om kommersiële, industriële, huishoudelike en openbare geboue en strukture en vir die afwering van die Noorder-grasdraertermiet in die huistuin.

ACTIVE INGREDIENTS / AKTIEWE BESTANDDELE

Bifenthrin/bifentrien (pyrethroid/piretroid).....	100 g/L
Imiprothrin/imiprotrien (pyrethroid/piretroid)	10 g/L
Piperonyl butoxide/piperonielbutoksied (synergist/sinergis)	120 g/L

ENSYSTEX SOUTH AFRICA (PTY) LTD

COMPANY REG. NO. 2008/009219/07
BUILDING 3, THE BURNS BUSINESS PARK
12A, JET PARK ROAD, JET PARK
BOKSBURG GAUTENG 1469

TEL: 080-367-9783

www.Ensystex.co.za

® Registered trademarks of Ensystex, Inc. used by licence to Ensystex South Africa (Pty) Ltd.

DIRECTIONS FOR USE

Use only as directed.

MAXXTHOR® TURBO Fast Action Insecticide is a powerful knockdown and residual pesticide. Ants, bedbugs, cockroaches, fleas, flies and mosquitoes are controlled by direct contact with the spray and also by the residual action as they come into contact with treated surfaces.

Mixing instructions

Prior to mixing, shake container thoroughly.

Premix the required quantity of **MAXXTHOR® TURBO Fast Action Insecticide** with a small amount of water in a clean bucket.

Fill the spray tank half with water and add the premixed **MAXXTHOR® TURBO Fast Action Insecticide**. Fill the spray tank with water to the required volume.

Agitate the contents of the spray tank.

Do not store prepared mixture.

I CONTROL OF PESTS IN THE PUBLIC HEALTH SECTOR

SITUATIONS	PEST	RATE	REMARKS
Internal & external areas & surrounds of domestic, commercial, public and industrial buildings & structures.	Ants Bedbugs Cockroaches Fleas Flies Mosquitoes	50-100 mL / 10 L of water	<p>Use the higher rate in situations where pest pressure is high, when rapid knockdown and maximum residual protection is desired. The lower rate may be used for follow-up treatments.</p> <p>Non-porous surfaces: Apply as a coarse spray at the rate of 1 liter of mixture per 20 m². When treating non-porous surfaces, do not exceed the point of run-off.</p> <p>Porous surfaces or for use through power equipment: Spray at the rate of 1 liter of mixture per 10 m². When treating porous surfaces, do not exceed the point of run-off.</p> <p>Ants: To control ants apply to trails and nests. Repeat as necessary.</p> <p>Bed bugs: Spray areas where bed bugs hide such as bed frames, floors and skirting boards.</p> <p>Cockroaches: Apply to skirting boards, floors and carpets, behind sinks, stoves, and pipes paying particular attention to all cracks and crevices harbourages which might contain insects. Apply to all areas where insects are seen, and known harbourages.</p> <p>Fleas and Ticks: To control fleas and ticks apply prepared mixture to outside surfaces of buildings and surrounds including but not limited to long grasses, shrubs, scrub vegetation, soil, turf, trunks of woody ornamentals, foundations, verandahs, window frames, eaves, patios, garages, pet housing, or other areas where pests congregate or have been seen.</p> <p>Flies and Mosquitoes: To control flies and mosquitoes apply prepared emulsion to surfaces where insects rest or harbour. Reapply as necessary.</p> <p>Perimeter treatments: Apply the prepared mixture to a band of soil 2 to 3 metres wide around and adjacent to the structure. Also treat the foundation of the structure to a height of approximately 1 metre. Use a spray volume of 5 to 10 liter per 100 m². Higher volumes of water may be needed if organic matter is present or foliage is dense.</p>

II NORTHERN HARVESTER TERMITE REPELLENCY IN HOME GARDEN

PEST	DOSAGE RATE	REMARKS
Northern harvester termite (<i>Hodotermes mossambicus</i>)	100 mL / 10 L of water	Apply to lawns at a rate of 5 liter spray mixture per 100 m ² to stop activity for several weeks. Repeat when activity is noticed again.

ENSYSTEX®

LEADING INNOVATION IN PEST MANAGEMENT

ENSYSTEX SOUTH AFRICA (PTY) LTD

www.Ensystex.co.za

WARNINGS

- Handle with care.
- Harmful when swallowed.
- An eye and skin irritant.
- Toxic to bees, fish, other aquatic invertebrates and harmful to other animals.
- Store in closed original container in a dry, cool, well ventilated area out of direct sunlight and away from food and feedstuffs.
- Keep out of reach of children, uninformed persons and animals.
- Do not spray directly on humans, pets or animals or onto surfaces where uncovered food is stored or food is prepared.
- Do not apply **MAXXTHOR® TURBO Water-based Insecticide** when pets, their bedding or housing has been treated with any other pesticide.
- **In case of poisoning call a doctor and make this label available to him.**

PRECAUTIONS

- Avoid contact with eyes and skin and do not inhale fumes of spray mist.
- Wear protective clothing: appropriate gloves and boots and face shield when handling the concentrate and protective gloves and boots, respirator and face shield during application.
- Do not eat drink or smoke whilst applying or mixing or before washing hands and face and change of clothing.
- Wash contaminated clothing daily.
- Do not use in the presence of persons with known sensitivity to pyrethroids.
- In case of signs of sensitivity, obtain medical advice.
- Wash hands and face with soap and water after handling. In case of accidental contact with skin wash affected area immediately with plenty of soap and water.
- In case of accidental contact with eyes, rinse immediately with clean water for at least 15 minutes and obtain medical advice.
- Remove pets and aquaria from area where this pesticide will be applied.
- Prevent contamination of rivers, dams and areas not under treatment.
- Clean application equipment thoroughly after use and dispose of wash water where it will not contaminate crops, grazing, rivers or dams.
- Triple rinse empty container in the following manner: Invert the empty container over the spray or mixing tank and allow to drain for at least 30 seconds after the flow has slowed down to a drip. Thereafter rinse the container three times with a volume of water equal to a minimum of 10% of that of the container. Add the rinsings to the contents of the spray tank before destroying the container in the prescribed manner.
- Destroy empty container by perforation and flattening and never use for any other purpose.
- Prevent contamination of food, feeds, eating utensils and drinking water.

SYMPTOMS OF POISONING

Overexposure may lead to bleeding from the nose, tremors and convulsions, incoordination, salivation, vomiting, diarrhea, and irritability to sound and touch. Skin contact may produce sensations such as numbing, burning and tingling.

FIRST AID TREATMENT

- **Skin contact:** Irritation is unlikely. However, if irritation does occur, flush with lukewarm, gently flowing water for 5 minutes or until chemical is removed. If in doubt obtain medical advice.
- **Eye contact:** No effects expected. If irritation does occur, flush contaminated eye(s) with lukewarm, gently flowing water for 5 minutes or until the product is removed. Obtain medical advice if irritation becomes painful or lasts more than a few minutes.
- **Ingestion:** Do not induce vomiting. Wash mouth with water and contact a Poisons Information Centre, or call a doctor.
- **Inhaled:** No first aid measures normally required. However, if inhalation has occurred, and irritation has developed, remove to fresh air and observe until recovered. If irritation becomes painful or persists more than about 30 minutes, seek medical advice.

NOTE TO PHYSICIAN

There is no known antidote known for acute poisoning. Treat symptomatically with supportive care.

NOTICE

Ensystex South Africa (Ensystex) warrants that this product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with Directions for Use under normal conditions of use. No warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of the product contrary to label instructions or under abnormal conditions.

Continued over ...

GEBRUIKSAANWYSINGS

Gebruik slegs soos aangedui.

MAXXTHOR® TURBO Fast Action Insecticide is 'n kragtige uitklop- en nawerkende insekdoder. Miere, weeluis, kakkerlakke, vlooië en vlieë word deur direkte aanraking met die sproei en ook deur die nawerkende aksie, soos hulle in aanraking met die behandelde oppervlak kom, gedood.

Menginstruksies

Skud die houër deeglik voor menging.

Meng die verlangde hoeveelheid **MAXXTHOR® TURBO Fast Action Insecticide** met 'n klein hoeveelheid water in 'n skoon emmer.

Vul die spuittenk half met water en voeg die voorafgemengde **MAXXTHOR® TURBO Fast Action Insecticide** by. Vul die spuittenk dan met water tot die verlangde volume.

Roer die inhoud van die spuittenk.

Moet nie voorgereide mengsel bêre nie.

I BEHEER VAN PLAAG IN DIE OPENBARE GESONDHEIDSSEKTOR

SITUASIE	PLAAG	DOSIS	OPMERKINGS
Binnens- en buitenshuise en omliggende areas van huishoudelike, kommersiële, openbare en industriële geboue en strukture.	Kakkerlakke Miere Muskiete Vlieë Weeluis	50-100 mL / 10 L of water	<p>Gebruik die hoër dosis in situasies waar daar 'n hoë voorkoms van die plaag is en vinnige uitklop en/of nawerkende beskerming verlang word. Die laer dosis kan vir opvolg bespuitings gebruik word.</p> <p>Nie-poreuse oppervlakke: Dien as 'n growwe bespuiting teen 1 liter per 20 m² toe. Wanneer nie-poreuse oppervlakke behandel word, moet nie die punt van afloop oorskry nie.</p> <p>Bosluis en vlooië: Om bosluis en vlooië te beheer dien voorbereide mengsel toe op buitenste oppervlakke van geboue en omtrek van strukture ingesluit maar nie beperk tot lang grasse, struik, ruiggroeiende plante, grond, grasperke, stamme van houtagtige sierplante, fondasies, verandas, vensterrame, dakrande en -lyste, binnehoue, motorhuise, dierehokke, of ander areas waar plaag versamel of gesien is.</p> <p>Kakkerlakke: Dien toe op vloer- en spatlyste, vloere en matte, agter opwasbakke, stowe en pype met spesiale aandag aan alle krake en gleuwe waar insekte in kan skuil. Dien op alle areas waar insekte gesien is en waar hulle skuil, toe.</p> <p>Miere: Om miere te beheer dien toe op paadjies en neste. Herhaal soos nodig.</p> <p>Weeluis: Bespuit areas waar weeluis skuil soos bedrame, vloere en vloerlyste.</p> <p>Muskiete en vlieë: Om muskiete en vlieë te beheer dien die voorbereide mengsel op oppervlakke waar insekte rus of skuil toe. Herhaal soos nodig.</p> <p>Omtrekbehandeling: Dien die voorbereide mengsel as 'n band van 2 tot 3 meters wyd op grond of plantegroei om en langs die struktuur toe. Behandel ook die fondasie van die struktuur tot 'n hoogte van omtrent 1 meter. Gebruik 'n spuitvolume van 5 tot 10 liter per 100 m². Hoër volumes water mag nodig wees indien organiese materiaal teenwoordig of plantegroei dig is.</p>

II NOORDER-GRASDRAERTERMIETAFWERING IN DIE HUISTUIN

PLAAG	DOSIS	OPMERKINGS
Noorder-grasdraertermiet (<i>Hodotermes mossambicus</i>)	100 mL / 10 L water	Dien toe op grasperke teen 5 liter spuitmengsel per 100 m ² om termietaktiwiteit vir 'n aantal weke te stop. Herhaal wanneer aktiwiteit weer opgemerk word.

WAARSKUWINGS

- Hanteer uiters versigtig.
- Giftig indien ingesluk.
- 'n Oog- en velirritant.
- Giftig vir bye, vis, ander waterinvertebrata en skadelik vir ander diere.
- Berg in toegemaakte oorspronklike houër in 'n droë, koel, goed geventileerde plek weg van direkte sonlig, voedsel en voer.
- Hou buite die bereik van kinders, oningeligte persone en diere.
- Moet nie as 'n ruimtebespuiting toedien nie.
- Moet nie direk op mense, troeteldiere of ander diere toedien nie of op oppervlakke waar onbedekte voedsel gestoor of voedsel voorberei word nie.
- Moet nie **MAXXTHOR® TURBO Water-based Insecticide**, wanneer troeteldiere, hul beddegoed of woonplekke met enige ander plaagdoder behandel is, toedien nie.
- **In geval van vergiftiging ontbied 'n geneesheer en toon hierdie etiket aan hom.**

VOORSORGMATREËLS

- Voorkom aanraking met oë en vel en inaseming van dampe en spuitnewel.
- Dra beskermende klere: toepaslike handskoene en stewels en gesigskerm wanneer konsentraat hanteer en beskermende handskoene en stewels, respirator en gesigskerm gedurende toediening.
- Moet nie eet, drink of rook tydens vermenging of toediening of voordat hande en gesig gewas en ander klere aangetrek is nie.
- Was besoedelde klere daaglik.
- Moet nie in die teenwoordigheid van persone wie sensitief vir piretroïde is, gebruik nie.
- In die geval van tekens van sensitiwiteit, kry mediese hulp
- Was hande en gesig met seep en water na hantering. In geval van toevallige aanraking met vel was besoedelde area onmiddellik met volop seep en water.
- In geval van toevallige aanraking met oë, spoel onmiddellik uit met skoon water vir minstens 15 minute en kry mediese behandeling.
- Verwyder troeteldiere en vistenks uit die area waar hierdie plaagdoder toegedien gaan word.
- Voorkom besoedeling van riviere, damme en areas nie onder behandeling nie.
- Maak spuittoerusting deeglik skoon na gebruik en raak van waswater ontslae waar dit nie gewasse, weiding, riviere en damme sal besoedel nie.
- Spoel leë houër driekeer as volg uit: Keer leë houër om oor die meng- of spuittenk en dreineer vir minstens 30 sekondes nadat vloei tot 'n drup verminder het. Spoel die houër daarna driekeer uit met 'n volume water gelykstaande aan 'n minimum van 10 % van die van die houër. Gooi die spoelwater by die inhoud van die spuittenk voordat die houër op die voorgeskrewe wyse vernietig word.
- Vernietig leë houër deur gate daarin te maak en plat te slaan en moet nie vir geen ander doel gebruik nie.
- Voorkom besoedeling van voedsel, voer, eetgerei en drinkwater.

SIMPTOME VAN MENSLIKE VERGIFTIGING

Erge blootstelling kan lei tot bloeiing van neus, beweging en stuiptrekkings, verlies aan koördinasie, speekselafskieding, braking, diarree en geïrriteerdheid met klank en aanraking. In aanraking met vel, kan 'n sensasie van brand, tinteling en 'n dooie gevoel veroorsaak.

NOODHULPBEHANDELING

- **Aanraking met vel:** Irritasie is onwaarskynlik. Indien irritasie wel voorkom, spoel met loutewarm, sagvloeiende water vir 5 minute of tot chemikalieë verwyder is. Indien daar twyfel bestaan, kry mediese hulp.
- **Aanraking met oë:** Geen effek word verwag nie. Indien irritasie wel voorkom, spoel besoedelde oog/oë met loutewarm, sagvloeiende water vir 5 minute of tot chemikalieë verwyder is. Indien irritasie pynlik word of langer as 'n paar minute duur, kry mediese hulp.
- **Inname:** Moet nie braking veroorsaak nie. Spoel mond met water uit en kontak 'n Gifinligtingsentrum (Poisons Information Centre) of gaan na 'n geneesheer.
- **Inaseming:** Geen noodhulpmaatreëls word gewoonlik benodig nie. Indien inaseming wel plaasvind en irritasie ontwikkel het, verwyder pasiënt na vars lug en hou onder observasie tot pasiënt herstel. Indien irritasie pynlik word of aanhou vir meer as 30 minute, kry mediese hulp.

NOTA AAN GENEESHEER

Daar is geen teenmiddel vir akute vergiftiging bekend nie. Behandel simptome met ondersteunende sorg.

LET WEL

Ensystem South Africa (Ensystem) waarborg dat hierdie produk aan die chemiese beskrywing voldoen en redelikerwys geskik is vir die doel soos op die etiket aangedui wanneer volgens die Gebruiksaanwysings gebruik word onder normale toestande van gebruik. Geen waarborg van verhandeling of geskiktheid vir 'n spesifieke doel, te kenne gegee of geïmpliseer, strek tot die gebruik van die produk strydig met die etiketinstruksies of onder abnormale toestande nie.