WARNINGS
Handle with Care, Poisonous by swallowing and inhalation. Handle with Care. Poisonous by swallowing and inhalation.
May cause irritation of the skin, eye, mucous membrane and skin

whay cause micauum or the skill, eye-mucuus mic sensitization. Very toxic to fish and toxic to bees. Sensitization. Very unit to itsiration unit to uses.

Combustible - Keep away from open flames or source of heat. Store in the closed, original container in a dry, coorwell-ventilated clothing, curtains, drape, area out of direct sunlight, food, feed and water.

Area out of direct sunlight, food, feed and water.

Keep out of the reach of children, uninformed persons and animals.

The grandust may stain some household appliances, cover before area out or direct suring a surface of children, uninformed persons and animals. discolouration may result.

More out of the reach of children, uninformed persons and animals. discolouration may result.

DO NOT contaminate streams, rivers or waterways with the chemical or DO NOT contaminate streams. Pispose of used smoke used containers. Dispose of used smoke used containers.

DO NOT inhale vapour or smoke. Leave area immediately DU NUT innale vapour or smoke. Leave area immediately after lighting smoke generators. Thoroughly ventilate treated

areas verore re-uccupying. Do not eat, drink or smoke whilst handling this product. Uo noceat, annicor shoke whilst handling this product.
Do not use in the presence of persons with known sensitivity
and the presence of control of the presence of the presenc Up not use in the presence of persons with known sensitivity, obtain medical to pyrethroids. In case of signs of sensitivity, obtain medical

DO NOT use in premises when people, pets, and animals or DU NUI use in premises when people, pets, and animals of food producing animals are present. Thus, let all people vacate the area to be treated and remove pets and other animals. the area to be treated and remove pets and unter difficults.

Do not contaminate food, feed, eating utensits or drinking water. Do not contaminate rood, feed, eating derishs of drinking water.

Remove or cover exposed food, eating utensils, food processing Remove or cover exposed now, eating mension, look, areas, pet bowls and fish tanks and aquariums prior, areas, pet bowls and fish tanks and aquariums prior to use of this product. Aerators should be turned off while the to use or this product. Actagons should be tarried of a roduct is in use and while the aquarium is covered.

Vacate premises during treatment and ensure thorough ventilation DO NOT apply where smoke detectors are installed, or turn them off

prior to the use of smoke generators.

Remove all RAYON and all other ARTIFICIAL SILK and SILK fabrics (clothing, curtains, drapes, etc.) from the area to be treated as

Hypersensitivity, tremors, muscular fibrillation, salivation, in co-ordination, Hypersensionly, memors, musicular manifestor, sangatum, in continence, and lacrimation, rapid and/or irregular respiration.

Remove patient from source of poisoning and keep patient quiet and Remove panent from source of poisoning and keep panent quiet and reassured. Remove contaminated dothing and finse contaminated reassured. Remove contaminated and finse contaminated body area thoroughly with pienty of soap and cold water. Do not rub sold a sold the property of the property sold the property of the pro

If poisoning occurs, contact a doctor or

There is not known antidote. Treat symptomatically with supportive

®™ Trademarks of Ensystex, Inc. used by licence to Ensystex South Africa (Pty) Ltd.

L-SA-CHEFD1016 1.01 07.21

KEEP OUT OF REACH OF CHILDREN **ECOTOXIC**

INSECTICIDE SMOKE GENERATOR

ACTIVE INGREDIENT: 20 g/kg DELTAMETHRIN ALSO CONTAINS: 244 g/kg POTASSIUM CHLORATE Registration No. L11061 of Act no. 36 of 1947 For the control of a range of insect pests as specified in the Directions for Use.

Net Contents: 40 g Generator

Registration Holder ENSYSTEX SOUTH AFRICA (PTY) LTD

Company Reg. No. 2008/009219/07 **Building 3, The Burns Business Park** 12 A let Park Road, let Park Boksburg, 1469 Tel.: +27 11 894 3845 | www.Ensystex.co.za

▲ DIRECTIONS FOR USE

11-	ONLY FOR	ш
USe	only as indicated	•
	orny as indicated	

deated are closedule in the evening level.	Glasshouses ornamentals only	mosquitoes, fileas, fileas, fileas, mosquitoes, hide beetles, fish moths (silverfish), bed bugs, stored product insects, carpet beetles, clothes moths. Ants, cockroaches, fleas, files, mosquitoes, fish moths (silverfish) lies, mosquitoes.	Refer to "General Instructions" before using this controlled, but those hatching from eggs. I generator/ 250 m² I generator/ 250 m² Insects active at the time of smoke release will be product. Insects active at the time of smoke release will be a controlled, but those hatching from eggs. From commodity residues may not be controlled product. I generator/ 500 m³ Refer to "General Instructions" before using this product. If pest populations are heavy, a second smoke for best results use late in the evening leaving treated are closed-up overnight.
--	---------------------------------	--	---

ENSYSTEX

DIRECTIONS FOR USE

Use only as indicated.

Situations	Pests Controlled	Rate	Critical Comments
Commercial, industrial, agricultural, domestic and public services buildings	Ants, cockroaches, fleas, flies, mosquitoes, hide beetles, fish moths (silverfish), bed bugs, stored product insects, carpet beetles, clothes moths.	1 generator/ 250 m ³	Refer to "General Instructions" before using this product. Insects active at the time of smoke release will be controlled, but those hatching from eggs, immigrant insects or storage insects emerging from commodity residues may not be controlled
Glasshouses ornamentals only	Ants, cockroaches, fleas, flies, mosquitoes, fish moths (silverfish)	500 m ³	Refer to "General Instructions" before using this product. If pest populations are heavy, a second smoke
Agricultural buildings and animal housing	Flies, mosquitoes.		release 2 to 3 days later may be required to reduce the pest populations to an acceptable level. For best results use late in the evening leaving treated are closed-up overnight.

WARNINGS

Handle with Care. Poisonous by swallowing and inhalation. May cause irritation of the skin, eye, mucous membrane and skin sensitization. Very toxic to fish and toxic to bees. Combustible - Keep away from open flames or source of heat. Store in

the closed, original container in a dry, cool well-ventilated area out of direct sunlight, food, feed and water.

Keep out of the reach of children, uninformed persons and animals. This product may stain some household appliances, cover before fumigation.

PRECAUTIONS

R

D.

DO NOT inhale vapour or smoke. Leave area immediately after lighting smoke generators. Thoroughly ventilate treated areas before re-occupying.

Do not eat, drink or smoke whilst handling this product. Do not use in the presence of persons with known sensitivity to pyrethroids. In case of

signs of sensitivity, obtain medical advice. DO NOT use in premises when people, pets, and animals or food producing animals are present. Thus, let all people vacate the area to be treated and remove pets and other animals.

Do not contaminate food, feed, eating utensils or drinking water. Remove or cover exposed food, eating utensils, food processing areas, pet bowls and fish tanks and aquariums prior to use of this product. Aerators should be turned off while the product is in use and while the aquarium is covered.

Keep package well closed.

Vacate premises during treatment and ensure thorough ventilation (3-4 hours) before re-occupation. DO NOT apply where smoke detectors are installed, or turn them off prior

to the use of smoke generators. Remove all RAYON and all other ARTIFICIAL SILK and SILK fabrics (clothing, curtains, drapes, etc.) from the area to be treated as discolouration may result.

DO NOT contaminate streams, rivers or waterways with the chemical or used containers. Dispose of used smoke generator safely, wrap empty generator in paper and place in waste bin, DO NOT re-use.

SYMPTOMS OF POISONING

Hypersensitivity, tremors, muscular fibrillation, salivation, in co-ordination, incontinence, and lacrimation, rapid and/or irregular respiration.

FIRST AID TREATMENT

Remove patient from source of poisoning and keep patient quiet and reassured. Remove contaminated clothing and rinse contaminated body area thoroughly with plenty of soap and cold water. Do not rub skin. Flush contaminated eyes with clean water for 15 minutes or longer. If poisoning occurs, contact a doctor or the Poisons Information Centre.

NOTE TO PHYSICIAN

There is not known antidote. Treat symptomatically with supportive care.

atch No.:	
ate of Manufacture:	



® ™ Trademark of Ensystex, Inc. used by licence to Ensystex South Africa (Pty) Ltd.

L-SA-CHEFD1016 11.01 06.21