KEEP OUT OF REACH OF CHILDREN. READ SAFETY DIRECTIONS BEFORE OPENING OR USING.





DISINFECTANT SMOKE GENERATOR

ACTIVE INGREDIENTS: 35 g/kg GLUTARALDEHYDE 70 g/kg ORTHO-PHENYLPHENOL OTHEN INGREDIENT: 190 g/kg POTASSIUM CHLORATE Res. No. Ads 50x95/28/2987974/14/1032

CONTAINS 1 SMOKE GENERATOR



GENERAL INSTRUCTIONS

This product is not to be diluted. This product should not be mixed with other incompatible substances. The efficacy of the disinfectant could be compromised if surfaces are solied.

Calculate the number of cans to be used. Seal closed any possible air heaks from the premises and place the container on the floor away from any flammable materials. Remove the plastic cap and the plastic tube, and light the wick using a gas torch. Best results may be obtained by first warming the bottom of the can for about 10 seconds with the gas forch. Cans can be lighted without using the wick by heating the obtainer of ther any of 30 seconds or sum (in linewise generates. This is particularly useful if the contents an compacted, D0 MOT remove the metal list. The version of the second s

Always ignite those generators furthest away, lighting those nearest your exit last. Leave immediately after lighting generators. The generator will burn for approximately 1 minute 30 seconds, however keep area airtight for at least 6 hours after lighting. Ventilate for 30 minutes before re-entry.

Refer to www.Ensystex.com.au/FUMITHOR for videos showing how to light and use FUMITHOR HYGIENE.

PRECAUTIONS

DO NOT use in premises when animals are present.

Remove or cover exposed food, food utensils, food processing areas, pet bowls and fish tanks. Aerators should be turned off while the product is in use and while the aguarium is covered.

DO NOT apply where smoke detectors are installed, or turn them off prior to use.

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT

Extremely dangerous to fish. Fish tanks and aquariums should be removed or covered prior to use of this product. DO NOT contaminate streams, rivers or waterways with the product or used containers.

STORAGE AND DISPOSAL

Store in the closed, original container in a dry, cool, well-ventilated area out of direct sunlight. Keep away from combustible materials. Dispose of used generator safely, wrap empty can in paper and place in waste bin. D0 N0T re-use can.

L-SA-CHEFS1006 5.01 03.22

SAFETY DIRECTIONS

D0 N0T inhale smoke. Avoid contact with eyes and skin. Irritating to eyes. Wear eye protection and suitable gloves. Leave immediately after lighting smoke generators. Thoroughly ventilate treated areas before re-occupying.

FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre. 24 Hours Emergency Contact Numbers: Griffon Poison Centre call 082-446-8946 - 24 Hours Service

= 24 HOUR SERVICE.

SAFETY DATA SHEET

Additional information is listed in the Safety Data Sheet which is available from www.Ensystex.co.za .

NOTICE

Ensystex warrants that this product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with Directions for Use under normal conditions of use. No warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of the product contrary to label instructions, or under abnormal conditions.

0	SITUATIONS	CONTROLS	RATE	
nd	Residential, Commercial, industrial, agricultural, and public services buildings including food handling premises	Gram positive and gram negative bacteria, fungal and bacterial spores, yeasts, algae and viruses.	1 generator/50 - 100 m ³ Use the higher rate for shock treatments when there is a high microbial loading likely or Initial Treatments.	
e. red	ENSYSTEX SOUTH AFRICA (PTY) LTD Co.Moy Pie, No. 2005/00/21 907 Building 3, The Buines Park 123. All Pirk Road, All Park Bokharg, GAUTHS 1469			
ct	Tel: 080-367-9783 www.Ensystex.co.za See bottom of can for batch number and Date of Manufacture 9 330209 002279			
	NOR AND			

®TM Trademarks of Ensystex, Inc. used under licence by Ensystex South Africa (Pty) Ltd.