

MAXXTHOR[®] TURBO

FAST ACTION INSECTICIDE

Reg. No. L10023 Act No. 36 of 1947

Namibian Reg. No. N-AR1730

**READ ATTACHED PACKAGED LEAFLET BEFORE USE
KEEP OUT OF REACH OF CHILDREN AND ANIMALS**

GROUP 3A INSECTICIDE

A suspension concentrate contact and knockdown insecticide with residual action for the control of ants, bedbugs cockroaches, fleas, flies, mosquitoes, in and around commercial, industrial, domestic and public buildings and structures including food handling premises and repelling the Northern harvester termite in the home garden.



DANGER

ACTIVE INGREDIENTS

Bifenthrin (pyrethroid)	100 g/L
Imiprothrin (pyrethroid)	10 g/L
Piperonyl butoxide (synergist)	120 g/L

NET VOLUME

1 Litre

UN number: none allocated

REGISTRATION HOLDER

ENSYSTEX SOUTH AFRICA (PTY) LTD

Company Reg. No. 2008/009219/07

Building 3, The Burns Business Park

12A Jet Park Road, Jet Park

Boksburg GAUTENG 1469

TELE: 080-367-9783

www.ensystex.co.za

EMERGENCY TEL: 082-446-8946 (24 HR SERVICE)

Batch No:

Date of manufacture:

® Registered trademarks of Ensystex, Inc.
used by licence to Ensystex South Africa (Pty) Ltd.

ENSYSTEX[®]



GHS Signal word: DANGER**HAZARD STATEMENT:**

H302: Harmful if swallowed.

H316: Causes mild skin irritation.

H317: May cause an allergic skin reaction.

H372: Causes damage to organs through prolonged or repeated exposure.

H400: Very toxic to aquatic life.

DISCLAIMER

Ensysrest South Africa (Ensysrest) warrants that this product conforms to the chemical description and is reasonably fit for the purposes stated on the label when used in accordance with Directions for Use under normal conditions of use. No warranty of merchantability or fitness for a particular purpose, expressed or implied, extends to the use of the product contrary to label instructions or under abnormal conditions.

PREVENTION

P102: Keep out of reach of children.

P261: Avoid breathing fumes, mists, vapours or spray.

P264: Wash contacted areas thoroughly after handling.

P270: Do not eat, drink or smoke when using this product.

P271: Use only outdoors or in a well-ventilated area.

P280: Wear protective gloves, protective clothing and eye or face protection.

RESPONSE

P312: Call a POISON CENTRE or doctor if you feel unwell.

P362: Take off contaminated clothing and wash before reuse.

P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P302+P352: IF ON SKIN: Wash with plenty of soap and water.

P304+P340: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P332+P313: If skin irritation occurs: Get medical advice.

P337+P313: If eye irritation persists: Get medical advice.

P391: Collect spillage.

P370+P378: Not combustible. Use extinguishing media suited to burning materials.

STORAGE

P402+P404: Store in a dry place. Store in a closed container.

P403+P235: Store in a well-ventilated place. Keep cool.

DISPOSAL

Triple rinse empty container in the following manner: Invert the empty container over the spray or mixing tank and allow to drain for at least 30 seconds after the flow has slowed down to a drip. Thereafter rinse the container three times with a volume of water equal to a minimum of 10% of that of the container. Add the rinsings to the contents of the spray tank before destroying the container in the prescribed manner.

- Destroy empty container by perforation and flattening and never use for any other purpose.

PRECAUTIONS

- Do not eat drink or smoke whilst applying or mixing or before washing hands and face and change of clothing.
- Wash contaminated clothing daily.
- Do not use in the presence of persons with known sensitivity to pyrethroids.
- Wash hands and face with soap and water after handling.
- In case of accidental contact with eyes, rinse immediately with clean water for at least 15 minutes and obtain medical advice.
- Remove pets and aquaria from area where this pesticide will be applied.
- Prevent contamination of rivers, dams and areas not under treatment.
- Clean application equipment thoroughly after use and dispose of wash water where it will not contaminate crops, grazing, rivers or dams.
- Prevent contamination of food, feeds, eating utensils and drinking water.

SYMPTOMS OF POISONING

Overexposure may lead to bleeding from the nose, tremors and convulsions, incoordination, salivation, vomiting, diarrhoea, and irritability to sound and touch. Skin contact may produce sensations such as numbing, burning and tingling.

FIRST AID TREATMENT

- **Skin contact:** Irritation is unlikely. However, if irritation does occur, flush with lukewarm, gently flowing water for 5 minutes or until chemical is removed. If in doubt obtain medical advice.
- **Eye contact:** No effects expected. If irritation does occur, flush contaminated eye(s) with lukewarm, gently flowing water for 5 minutes or until the product is removed. Obtain medical advice if irritation becomes painful or lasts more than a few minutes.
- **Ingestion:** Do not induce vomiting. Wash mouth with water and contact a Poisons Information Centre, or call a doctor.
- **Inhaled:** No first aid measures normally required. However, if inhalation has occurred, and irritation has developed, remove to fresh air and observe until recovered. If irritation becomes painful or persists more than about 30 minutes, seek medical advice.

NOTE TO PHYSICIAN

There is no known antidote known for acute poisoning. Treat symptomatically with supportive care.



L/A-SA-CHEMT1007 4.03 07.23 T