

BLATTATHOR® ULTRA GEL COCKROACH BAIT

Reg. No. L9297 Act No. 36 of 1947
Namibian Reg. No. N-AR1526

KEEP OUT OF REACH OF CHILDREN AND ANIMALS

GROUP 2B INSECTICIDE

A ready-for-use gel bait for the control of cockroaches in commercial, industrial locations including food handling and food processing areas, and residential premises

Hazard Statement:
Toxic to aquatic life.

Precautionary Statement:
Wash with plenty of soap and water.

Active ingredient

Fipronil (fiprole)..... 0.5 g/kg

NET MASS:

120 g

(4 x 30 g tubes)

UN number: Not allocated

Batch No:

Date of Manufacture:

REGISTRATION HOLDER
ENSYSTEX SOUTH AFRICA (PTY) LTD

Reg. No. 2008/009219/07

Building 3, The Burns Business Park, 12A Jet Park Road, Jet Park, Boksburg GAUTENG 1469

CUSTOMER SERVICE 080 367 9783

EMERGENCY RESPONSE (ALL HOURS) 082-446-8946 (24 HR SERVICE)

www.Ensystex.co.za



9 330209 005089 >

® Registered trademarks of Ensystex, Inc.
used by licence to Ensystex South Africa (Pty) Ltd

ENSYSTEX®



GHS Signal word: NONE. Not hazardous.

H401: Toxic to aquatic life.

DISCLAIMER

Ensysstex South Africa (Ensysstex) warrants that this product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with Directions for Use under normal conditions of use. No warranty of merchantability or fitness for a particular purpose, expressed or implied, extends to the use of the product contrary to label instructions or under abnormal conditions.

PREVENTION

P102: Keep out of reach of children.

P262: Do not get in eyes, on skin, or on clothing.

P273: Avoid release to the environment.

P281: Use personal protective equipment as required.

RESPONSE

P352: Wash with plenty of soap and water.

P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P370+P378: Not combustible. Use extinguishing media suited to burning materials.

STORAGE

P410: Protect from sunlight.

P402+P404: Store in a dry place. Store in a closed container.

P403+P235: Store in a well-ventilated place. Keep cool.

DISPOSAL

P501: Dispose of small quantities and empty containers by wrapping with paper and putting in garbage. For larger quantities, if recycling or reclaiming is not possible, use a commercial waste disposal service.

PRECAUTIONS

- Avoid contact with eyes and skin.
- Wear protective clothing when handling.
- Wash hands after handling.
- DO NOT contaminate streams, rivers or waterways with this product or used containers.
- DO NOT apply to surfaces where food is handled or stored or allow product to directly come in contact with humans, pets, exposed food, food preparation areas or food utensils.
- Prevent contamination of food, feeds, eating utensils and drinking water.
- Apply bait where it is inaccessible to children and animals.
- Return plastic tube to outer (carton) container after use.

FIRST AID

Inhalation: Not generally required.

Skin: Gently brush away. If irritation occurs, flush with lukewarm, gently flowing water for 5 minutes.

Eye Contact: Quickly and gently brush particles from eyes. If irritation occurs, flush eye(s) with lukewarm, gently flowing water for 5 minutes.

Ingestion: Do NOT induce vomiting; wash mouth with water and give some water to drink.

DIRECTIONS FOR USE

Use only as directed.

BLATTATHOR® ULTRA GEL COCKROACH BAIT is recommended for the control of cockroaches in commercial, industrial locations including food handling and food processing areas, and residential premises.

TREATMENT

- Inspect premises thoroughly and locate all cockroach harbourages.
- Place BLATTATHOR® ULTRA GEL COCKROACH BAIT bait spots as close as possible to cockroach harbourages.
- Place bait spots into cracks and crevices away from where they are likely to be removed by cleaning programmes.
- When placing baits remember that the label refers to the full surface area that the cockroaches are likely to traverse e.g. in a kitchen allow for the full surface area of each bench, cupboard, etc.
- Good hygiene is essential in any pest management situation. Encourage the removal of other food materials.
- DO NOT use chemical sprays near baits.
- DO NOT apply to surfaces which are wet or to areas that are washed.
- In areas of poor sanitation use more bait placements.

DOSAGE RATE

Apply as a 2 to 4 mm diameter bait spot. Use the larger bait spot for control of the American cockroach. Apply 12 to 24 bait spots for a 30 m² treatment area for heavy infestations and 4 to 6 bait spots to a 30 m² treatment area for light infestations.

RE-TREATMENT

- In areas of high activity the bait may be consumed and further bait placements needed. Schedule a second inspection about a month after the initial treatment.
- Re-treatments only need to be applied in areas where cockroaches remain or are likely to enter a premise.
- BLATTATHOR® ULTRA GEL COCKROACH BAIT is stable; it does not harden or lose its attractiveness to cockroaches. Only reapply baits when the original bait has been consumed.

L/A-SA/NB-CHEBG2017 3.02 07.23