

RODENTHOR[®] **BLOCK**

Reg. No. L 9396 Act/Wet No. 36 of/van 1947
Namibian Reg. No. N-AR1646

KEEP OUT OF REACH OF CHILDREN AND ANIMALS

A ready-for-use block bait for use in damp or dry situations in and around industrial, commercial, public services, agricultural and domestic buildings including food handling and processing establishments for the control of roof and Norway rats and house mice.



WARNING

ACTIVE INGREDIENT

Brodifacoum (coumarin anticoagulant).....0,05 g/kg

Date of manufacture:

Batch No:

SOUTH AFRICA REGISTRATION HOLDER:

Mr. Stefano Migliore
TEL.: 011-453-5638

DISTRIBUTOR:

ENSYSTEX SOUTH AFRICA (PTY) LTD

Co./Mpy Reg. No. 2008/009219/07

Building 3, The Burns Business Park

12A Jet Park Road, Jet Park

Boksburg GAUTENG 1469

Tel: 080-367-9783 www.Ensystex.co.za

EMERGENCY Tel: 082-446-8946 (24 hr service)

NET MASS: 10 kg

UN number: 3808

ENSYSTEX[®]



GHS Signal word: WARNING**HAZARD STATEMENT:**

H373: May cause damage to organs through prolonged or repeated exposure.

DISCLAIMER

Ensyschem South Africa (Ensysyex) warrants that this product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with Directions for Use under normal conditions of use. No warranty of merchantability or fitness for a particular purpose, expressed or implied, extends to the use of the product contrary to label instructions or under abnormal conditions.

PREVENTION

P102: Keep out of reach of children.

P260: Do not breathe dusts.

P262: Do not get in eyes, on skin, or on clothing.

P281: Use personal protective equipment as required.

RESPONSE

P314: Get medical advice or attention if you feel unwell.

P352: Wash with plenty of soap and water.

P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P370+P378: Not combustible. Use extinguishing media suited to burning materials.

STORAGE

P410: Protect from sunlight.

P402+P404: Store in a dry place. Store in a closed container.

P403+P235: Store in a well-ventilated place. Keep cool.

DISPOSAL

P501: Dispose of small quantities and empty containers by wrapping with paper and putting in garbage. For larger quantities, if recycling or reclaiming is not possible, use a commercial waste disposal service.

PRECAUTIONS

- After use and in case of accidental skin contact, wash thoroughly with soap and water.
- Prevent contamination of food, feedstuffs, eating utensils and drinking water.
- Set bait where it will be inaccessible to children and non-target animals.

SYMPTOMS OF HUMAN POISONING

Bleeding from gums and nose, bleeding under the skin, pallor, haemorrhage into and around elbow and knee joints. Blood in urine and faeces.

FIRST AID TREATMENT**General Information:**

In case of human or animal poisoning, call the Griffon Poison Centre 082-446-8946 (24 hr service). Have this SDS with you when you call. Vitamin K1 (Phytomenadione) is antidotal.

Inhalation: First aid is not generally required. If in doubt, contact a Poisons Information Centre or a doctor.

Skin Contact: Gently brush away excess particles. If on skin and after each baiting, wash thoroughly with soap and water. Wash hands after use.

Eye Contact: Quickly and gently brush particles from eyes. No effects expected. If irritation does occur, flush contaminated eye(s) with lukewarm, gently flowing water for 5 minutes or until the product is removed. Obtain medical advice if irritation becomes painful or lasts more than a few minutes. Take special care if exposed person is wearing contact lenses.

Ingestion: If swallowed, do NOT induce vomiting. Wash mouth with water and contact a Poisons Information Centre, or call a doctor.

DOMESTIC ANIMALS: Immediately transport to a veterinary surgeon. If no signs of intoxication are noted, but bait consumption is suspected, induce vomiting only if ingestion is recent, less than six (6) hours. Use a solution of salty water (2-3 tablespoons salt in a cup of water), place in a soft drink bottle and squirt it down the animal's throat. Vomiting should take place after about 10 minutes. Seek veterinary advice.

NOTE TO PHYSICIAN

Brodifacoum, the active constituent of RODENTHOR Rodenticides, is a long lasting anticoagulant chemical which if ingested by humans, domestic animals or pets, can reduce the clotting power of the blood and haemorrhage may result. Vitamin K1 (Phytomenadione) should be administered urgently by medical, appropriate para-medical personnel or veterinarians. If administered intravenously the injection must be given slowly.

DIRECTIONS FOR USE**Use only as indicated.**

RODENTHOR BLOCK kills after rodents have had one or more feeds. Death will occur 4 to 12 days after a lethal dose has been consumed. Each block weighs 10 g.

BAITING

1. Place **RODENTHOR BLOCK** bait at a suitable number of locations near where rodents have nests or burrows or where they have been feeding or caused damage. Inspect bait points regularly and top-up until rodent activity ceases.
2. Dosage rates:
Rats: 5 to 9 blocks at each baiting point at intervals of 5-10 meters.
Mice: 2 to 3 blocks at each baiting point at intervals of 2-5 meters.
3. Wear PVC or rubber gloves when handling bait as rodents are deterred by human odour.
4. Always make sure that baits are adequately protected from children and non-target animals. It is recommended to use commercially available tamper-resistant bait stations. Where these are not available, hide baits inside pieces of drainage pipe or on trays under tiles, always ensuring that baits remain inaccessible to children and non-target animals.
5. Replace completely any bait which has become spoilt or contaminated and dispose of in a responsible manner.
6. When rodent activity has ceased, remove uneaten bait and destroy in a responsible manner. It is good practice however, to maintain a few permanent feeding points to prevent reinfestation.



L-SA-RDTB1039 3.01 06.22