

RODENTHOR[®]

PASTA

Reg. No. L9586 Act No. 36 of 1947

READ THE LABEL BEFORE USE

KEEP OUT OF REACH OF CHILDREN AND ANIMALS

A ready-for-use pasta bait for the control of roof and Norway rats and the house mouse in and around industrial premises and human dwellings.



HAZARD STATEMENT:

May damage the unborn child.
May cause damage to the blood through prolonged or repeated exposure.

Precautionary Statements:

Obtain special instructions before use.
Do not handle until all safety precautions have been read and understood.
Wear protective gloves.

HAZARD PICTURE:



DANGER

ACTIVE INGREDIENT

Brodifacoum (coumarin anticoagulant) 0,05 g/kg

Batch No:

Date of manufacture:

REGISTRATION HOLDER:

Mr. Stefano Migliore
10 Jonalan Drive St. Andrews
Bedfordview 2007
TEL.: 011-453-5638

DISTRIBUTOR:

ENSYSTEX SOUTH AFRICA (PTY) LTD
Co./Mpy Reg. No. 2008/009219/07
Building 3, The Burns Business Park
12A Jet Park Road, Jet Park
Boksburg GAUTENG 1469

Tel.: 080-367-9783 www.Ensystex.co.za
EMERGENCY Tel: 082-446-8946 (24 hr service)

NET MASS: 3 kg

UN number: 3808

ENSYSTEX[®]

DISCLAIMER

Ensysstex South Africa (Ensysstex) warrants that this product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with Directions for Use under normal conditions of use. No warranty of merchantability or fitness for a particular purpose, expressed or implied, extends to the use of the product contrary to label instructions or under abnormal conditions.

WARNINGS

- May damage the unborn child.
- May cause damage to the blood through prolonged or repeated exposure.
- Handle with care.
- Store in a cool place away from food and feedstuffs.
- **In case of poisoning call a doctor and show him this label.**

PRECAUTIONS

- Obtain special instructions before use.
- Do not handle until all safety precautions have been read and understood.
- Wear protective gloves.
- If exposed or concerned: Get medical advice/attention.
- Get medical advice/attention if you feel unwell.
- Store locked up.
- Dispose of contents/container in accordance with local regulation.
- Prevent contamination of food, feedstuffs, eating utensils and drinking water.
- Set bait where it will be inaccessible to children and non target animals.

RELEVANT SUBSTANCES:

Substance	Concentration
Brodifacoum	0.05 g/kg

SYMPTOMS OF HUMAN POISONING

Bleeding from gums and nose, bleeding under the skin, pallor, haemorrhage into and around elbow and knee joints. Blood in urine and faeces.

FIRST AID TREATMENT

Eyes - Rinse eyes with plenty of clean water for at least 15 minutes.

Skin - Wash contaminated body area thoroughly with plenty of soap and water.

Ingestion - Induce vomiting by tickling the back of throat. Call a doctor and show him this label.

NOTE TO PHYSICIAN

Administer Vitamin K intravenously, 50-150 mg depending on prothrombin time on first day. In severe cases small transfusions of fresh blood can be considered.

DIRECTIONS FOR USE

Use only as indicated.

RODENTHOR PASTA kills after rodents have had one or more feeds. Death will occur 4-12 days after a lethal dose has been consumed.

Each sachet contains 10 g of **RODENTHOR PASTA**.

BAITING

1. Place **RODENTHOR PASTA** bait at a suitable number of locations near where rodents have nests or burrows or where they have been feeding or caused damage. Inspect bait points regularly and top-up until rodent activity ceases.
2. Dosage rates:
Rats: 50-100 g **RODENTHOR PASTA** at a baiting point at intervals of 5-10 meters.
Mice: 20-30 g **RODENTHOR PASTA** at a baiting point at intervals of 2-5 meters.
3. Wear PVC or rubber gloves when handling bait as rodents are deterred by human odour.
4. Ensure that domestic and farm animals do not have access to bait by placing in a piece of drain pipe or under a tile.
5. Replace completely any bait which has become spoilt or contaminated and dispose of in a responsible manner.
6. When rodent activity has ceased, remove uneaten bait and destroy in a responsible manner. It is good practice however, to maintain a few permanent feeding points to prevent reinfestation.



L-SA-RDT1004 5.02 09.23

® Registered trademarks of Ensysstex, Inc. used by license to Ensysstex South Africa (Pty) Ltd.