Page: 1 of 5

This version issued: September, 2023

Phone: 080 367 9783

Section 1 - Identification of The Material and Supplier

Ensystex South Africa (Pty) Ltd Building 3, The Burns Business Park 12A Jet Park Road, Jet Park, Boksburg GAUTENG

Boksburg GAUTEN Tel: 080 367 9783

Chemical nature: Diflubenzuron is an insect growth regulator.

Trade Name: EXOTHOR™ Insect Growth Regulator

Product Code: Reg. No. L11062

Product Use: Insect growth regulator to prevent emergence of adult house flies, fleas and

cockroaches.

Creation Date: November, 2013

This version issued: September, 2023 and is valid for 5 years from this date.

Section 2 - Hazards Identification

Statement of Hazardous Nature

This product is classified as: NOT classified as hazardous according to the criteria of NOHSC Australia.

Not a Dangerous Good according to the Australian Dangerous Goods (ADG) Code.

SUSMP Classification: S5

ADG Classification: None allocated. Not a Dangerous Good.

UN Number: None allocated.

GHS Classification:

Skin corrosion/irritation: Category 2
Eye damage/irritation: Category 1

Hazardous to aquatic environment, short-term hazard: Category 2 Hazardous to aquatic environment, long-term hazard: Category 2





GHS Signal word: DANGER

HAZARD STATEMENT

H315: Causes skin irritation.

H318: Causes serious eye damage.

 $\ensuremath{\mathsf{H401}\text{+}\mathsf{H411}}\xspace$. Toxic to aquatic life with long lasting effects.

PREVENTION

P102: Keep out of reach of children.

P264: Wash hand thoroughty after handing.

P273: Avoid release to the environment.

P280: Wear protective gloves/ eye protection/ face protection.

RESPONSE

P310: Immediately call a POISON CENTER or doctor.

P302+P352: IF ON SKIN: Wash with plenty water.

P332+P313: If skin irritation occurs: Get medical advice.

P362+P364: Take off contaminated clothing and wash it before reuse.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing. P391: Collect spillage.

STORAGE

DISPOSAL

P501: Dispose of contents and containers as specified on the registered label.

SAFETY DATA SHEET

Issued by: Ensystex South Africa (Pty) Ltd

In case of human or animal poisoning, call the Griffon Poison Centre 082-446-8946 (24 hr service).

Page: 2 of 5

This version issued: September, 2023

Emergency Overview

Physical Description & colour: Beige granule. Mild odour. **Major Health Hazards:** May irritate eyes.

Potential Health Effects

Inhalation:

Short term exposure: Available data indicates that this product is not harmful. Long Term exposure: No data for health effects associated with long term inhalation.

Skin Contact:

Short term exposure: Available data indicates that this product is not harmful. However product may be mildly irritating, although unlikely to cause anything more than mild transient discomfort.

Long Term exposure: No data for health effects associated with long term skin exposure.

Eye Contact:

Short term exposure: Available data indicates that this product is not harmful. However product will irritate the eyes, although unlikely to cause anything more than mild transient discomfort.

Long Term exposure: No data for health effects associated with long term eye exposure.

Ingestion:

Short term exposure: Available data indicates that this product is not harmful. **Long Term exposure:** No data for health effects associated with long term ingestion.

Carcinogen Status:

NOHSC: No significant ingredient is classified as carcinogenic by NOHSC. NTP: No significant ingredient is classified as carcinogenic by NTP. IARC: No significant ingredient is classified as carcinogenic by IARC.

Section 3 - Composition/Information on Ingredients

Ingredients	CAS No	Conc, %	TWA (mg/m³)	STEL (mg/m³)
Diflubenzuron	35367-38-5	20	not set	not set
Other non hazardous ingredients	various	to 100	not set	not set
This is a commercial product whose exact ratio of components may vary slightly.				

The SWA TWA exposure value is the average airborne concentration of a particular substance when calculated over a normal 8 hour working day for a 5 day working week. The STEL (Short Term Exposure Limit) is an exposure value that may be equalled (but should not be exceeded) for no longer than 15 minutes and should not be repeated more than 4 times per day. There should be at least 60 minutes between successive exposures at the STEL. The term "peak "is used when the TWA limit, because of the rapid action of the substance, should never be exceeded, even briefly.

Section 4 - First Aid Measures

General Information:

In case of human or animal poisoning, call the Griffon Poison Centre 082-446-8946 (24 hr service). Have this SDS with you when you call.

Inhalation: Remove from source of exposure. If signs of toxicity occur contact a Poisons Centre or a doctor. Provide

symptomatic supportive care as necessary.

Skin Contact: Wash skin with soap and water. If signs of toxicity occur contact a Poisons Centre or a doctor. Provide

symptomatic supportive care as necessary.

Eye Contact: Gently remove dust from eyes. If irritation does occur, flush contaminated eye(s) with lukewarm, gently

flowing water for 5 minutes or until the product is removed. Obtain medical advice if irritation becomes

painful or lasts more than a few minutes.

Ingestion: If product is swallowed or gets in mouth, wash mouth with water and spit out. If signs of toxicity occur contact

a Poisons Centre or a doctor. Provide symptomatic supportive care as necessary.

Advice to Doctor: Provide symptomatic supportive care as necessary.

SAFETY DATA SHEET

Issued by: Ensystex South Africa (Pty) Ltd

Phone: 080 367 9783

Page: 3 of 5

This version issued: September, 2023

Phone: 080 367 9783

Section 5 - Fire Fighting Measures

Fire and Explosion Hazards: There is no risk of an explosion from this product under normal circumstances if it is involved in a fire. Fire decomposition products from this product are unlikely to be toxic if inhaled.

Extinguishing Media: Preferred extinguishing media are carbon dioxide, dry chemical, foam, water fog.

Fire Fighting: If a significant quantity of this product is involved in a fire, call the fire brigade.

Flash point:

Upper Flammability Limit:

Lower Flammability Limit:

Does not burn.

Autoignition temperature:

Flammability Class:

Not flammable.

Does not burn.

Does not burn.

Section 6 - Accidental Release Measures

Accidental release: In the event of a major spill, prevent spillage from entering drains or water courses. As a minimum, wear overalls and gloves. Suitable materials for protective clothing include rubber.

Contain spill. Sweep up and shovel or collect recoverable product into labelled containers for recycling or salvage, and dispose of promptly. Recycle containers wherever possible after careful cleaning. Refer to product label for specific instructions.

After spills, wash area preventing runoff from entering drains. If a significant quantity of material enters drains, advise emergency services. Full details regarding disposal of used containers, spillage and unused material may be found on the label.

If there is any conflict between this SDS and the label, instructions on the label prevail. Ensure legality of disposal by consulting regulations prior to disposal. Thoroughly launder protective clothing before storage or re-use. Advise laundry of nature of contamination when sending contaminated clothing to laundry.

Section 7 - Handling and Storage

Handling: Avoid contact with eyes. Check Section 8 of this SDS for details of personal protective measures, and make sure that those measures are followed. The measures detailed below under "Storage" should be followed during handling in order to minimise risks to persons using the product in the workplace. Also, avoid contact or contamination of product with incompatible materials listed in Section 10.

Storage: Keep containers dry and away from water. Store in the closed original container in a dry, cool, well-ventilated area out of direct sunlight. Make sure that the product does not come into contact with substances listed under "Incompatibilities" in Section 10. Check packaging - there may be further storage instructions on the label.

Section 8 - Exposure Controls and Personal Protection

The following Australian Standards will provide general advice regarding safety clothing and equipment:

Respiratory equipment: **AS/NZS 1715**, Protective Gloves: **AS 2161**, Industrial Clothing: **AS2919**, Industrial Eye Protection:

AS1336 and AS/NZS 1337, Occupational Protective Footwear: AS/NZS2210.

Exposure limits have not been established by NOHSC for any of the significant ingredients in this product.

Ventilation:

No special ventilation requirements are normally necessary for this product.

Eye Protection: Wear suitable protective glasses, goggles or a face shield.

Respiratory Protection: Not normally required. If in doubt, wear a dust mask to prevent inhalation.

Skin Protection: When preparing product for use wear elbow-length PVC gloves. If applying by hand wear elbow-

length PVC gloves. Wash hands alter use. After each day's use, wash gloves.

Section 9 - Physical and Chemical Properties

Physical Description & colour: Beige granule.

Odour: Mild odour.

Volatiles: No specific data. Expected to be low at 100 °C. **Vapour Pressure:** Negligible at normal ambient temperatures.

Water Solubility: Disperses readily in water.

pH: No data.

Volatility: Negligible at normal ambient temperatures.

SAFETY DATA SHEET

Issued by: Ensystex South Africa (Pty) Ltd

Page: 4 of 5

This version issued: September, 2023

Section 10 - Stability and Reactivity

Reactivity: This product is unlikely to react or decompose under normal storage conditions. However, if you have

any doubts, contact the supplier for advice on shelf life properties.

Conditions to Avoid: Containers should be kept dry. Store in the closed original container in a dry, cool, well-ventilated area

out of direct sunlight.

Incompatibilities: Strong acids, strong bases, strong oxidising agents.

Fire Decomposition: No specific data.

Polymerisation: This product will not undergo polymerisation reactions.

Section 11 - Toxicological Information

Acute Toxicity of product (by calculation):

Oral: LD50 (rat): 10,002 mg/kg **Dermal:** LD50 (rabbit): 10,000 mg/kg

Inhalation: LC50 (rat): Not applicable to this product form.

Acute Toxicity of diflubenzuron (active ingredient):

Oral: LD50 (rat): > 4,600 mg/kg

Dermal: LD50 (rabbit): >2,000 mg/kg (highest dose level tested)

Inhalation: LC50 (rat): >2.37 mg/ L/4h

According to GHS guidelines, this product is not classified as acute toxicty, Germ cell mutagenicity, reproductive toxicity,

carcinogenicity or aspiration hazard.

Classification of Hazardous Ingredients

Ingredient Risk Phrases

No ingredient mentioned in the HSIS Database is present.

Section 12 - Ecological Information

Degrades moderately fast in water. Degrades rapidly in sediments. Soil half life: ~3 days. Low toxicity to fish.

Section 13 - Disposal Considerations

Disposal: Instructions concerning the disposal of this product and its containers are given on the product label. These should be carefully followed.

Section 14 - Transport Information

ADG Code: This product is not a Dangerous Good. No special transport conditions necessary.

Section 15 - Regulatory Information

AICS: All of the significant ingredients in this formulation are to be found in the public AICS Database.

Page: 5 of 5

This version issued: September, 2023

Section 16 - Other Information

This SDS contains only safety-related information. For other data see product literature.

If there is any conflict between this SDS and the registered label, instructions on the label prevail.

Acronyms:

ADG Code Australian Code for the Transport of Dangerous Goods by Road and Rail (7th edition)

AICS Australian Inventory of Chemical Substances
SWA Safe Work Australia, formerly ASCC and NOHSC
CAS number Chemical Abstracts Service Registry Number

Hazchem Code Emergency action code of numbers and letters that provide information to emergency services

especially fire-fighters

IARC International Agency for Research on Cancer

NOS Not otherwise specified

NOHSC National Occupational Health and Safety Commission

NTP National Toxicology Program (USA)

R-Phrase Risk Phrase

SUSDP Standard for the Uniform Scheduling of Drugs & Poisons

UN Number United Nations Number

THIS SDS SUMMARISES OUR BEST KNOWLEDGE OF THE HEALTH AND SAFETY HAZARD INFORMATION OF THE PRODUCT AND HOW TO SAFELY HANDLE AND USE THE PRODUCT IN THE WORKPLACE. EACH USER MUST REVIEW THIS SDS IN THE CONTEXT OF HOW THE PRODUCT WILL BE HANDLED AND USED IN THE WORKPLACE.

IF CLARIFICATION OR FURTHER INFORMATION IS NEEDED TO ENSURE THAT AN APPROPRIATE RISK ASSESSMENT CAN BE MADE, THE USER SHOULD CONTACT THIS COMPANY SO WE CAN ATTEMPT TO OBTAIN ADDITIONAL INFORMATION FROM OUR SUPPLIERS

OUR RESPONSIBILITY FOR PRODUCTS SOLD IS SUBJECT TO OUR STANDARD TERMS AND CONDITIONS, A COPY OF WHICH IS SENT TO OUR CUSTOMERS AND IS ALSO AVAILABLE ON REQUEST.

Please read all labels carefully before using product.

[™] Trademark of Ensystex, Inc. used by licence to Ensystex South Africa (Pty) Ltd.