# **ULTRATHOR™**

WATER-BASED TERMITICIDE

Reg. No. L9296 Act No. 36 of 1947 Namibian Reg. No. N-AR1504

**READ ATTACHED PACKAGED LEAFLET BEFORE USE KEEP OUT OF REACH OF CHILDREN AND ANIMALS** 

A suspension concentrate residual and contact insecticide for the control of subterranean wood destroying termites in and around buildings and structures

GROUP 23 INSECTICIDE

**ACTIVE INGREDIENT / AKTIEWE BESTANDDELE:** 

Fipronil (fiprole).......100 g/L

**Hazard Statements:** Harmful if inhaled. Very toxic to aquatic life.

**Precautionary Statements:** 

Avoid breathing fumes, mists, vapours, or spray. Wash contacted areas thoroughly after handling.

Net mass/ Netto Massa:

3 Litres

UN NUMBER: 3082

Batch No:

Date of Manufacture:

Registration Holder / Registrasiehouer: ENSYSTEX SOUTH AFRICA (PTY) LTD Reg. No. 2008/009219/07 Building 3, The Burns Business Park, 12A Jet Park Road, Jet Park, Boksburg GAUTENG 1469 www.Ensystex.co.za

CUSTOMER SERVICE 080 367 9783 **EMERGENCY RESPONSE (ALL HOURS)** 082-446-8946 (24 HR SERVICE)

®™ Trademarks of Ensystex, Inc. used by licence to Ensystex South Africa (Pty) Ltd.











# **GHS Signal word: DANGER**

# HAZARD STATEMENT:

H410: Very toxic to aquatic life with long lasting effects.

H322: Harmful if inhaled.

H372: Causes damage to organs through prolonged or repeated exposure.

# DISCI AIMER

Ensystex South Africa (Ensystex) warrants that this product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with Directions for Use under normal conditions of use. No warranty of merchantability or fitness for a particular purpose, expressed or implied, extends to the use of the product contrary to label instructions or under abnormal conditions.

# PREVENTION

P102: Keep out of reach of children.

P261: Avoid breathing fumes, mists, vapours or spray.

P264: Wash contacted areas thoroughly after handling.

P270: Do not eat, drink or smoke when using this product.

P271: Use only outdoors or in a well ventilated area.
P280: Wear protective gloves, protective clothing and eye or face protection.

# RESPONSE

P312: Call a POISON CENTRE or doctor if you feel unwell.

P362: Take off contaminated clothing and wash before reuse.

P301+P330+P331: IF SWALLOWED: Rinse mouth, Do NOT induce vomiting.

P302+P352: IF ON SKIN: Wash with plenty of soap and water.

P304+P340: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P332+P313: If skin irritation occurs: Get medical advice.

P337+P313: If eve irritation persists: Get medical advice.

P391: Collect spillage.

P370+P378: In case of fire, use carbon dioxide, dry chemical, foam, water fog. Alcohol resistant foam is the preferred firefighting medium but, if it is not available, normal foam can be used.

#### PRECAUTIONS

- Prevent contamination of rivers, dams and areas not under treatment.
- Clean application equipment thoroughly after use and dispose of wash water where it will not contaminate crops, grazing, rivers or dams.

#### DISPOSAL

- Triple rinse empty container in the following manner: Invert the empty container
  over the spray or mixing tank and allow to drain for at least 30 seconds after the
  flow has slowed down to a drip. Thereafter rinse the container three times with
  a volume of water equal to a minimum of 10% of that of the container. Add the
  rinsings to the contents of the spray tank before destroying the container in the
  orescribed manner.
- Destroy empty container by perforation and flattening and never use for any other purpose.
- Prevent contamination of food, feeds, eating utensils and drinking water.

## FIRST AID

# General Information:

In case of human or animal poisoning, call the Griffon Poison Centre 082-446-8946 (24 hr service). Have this SDS with you when you call.

Inhalation: If symptoms of poisoning become evident, contact a Poisons Information Centre, or call a doctor at once. Remove source of contamination or move victim to fresh air. If breathing is difficult, oxygen may be beneficial if administered by trained personnel, preferably on a doctor's advice. DO NOT allow victim to move about unnecessarily. Symptoms of pulmonary oedema can be delayed up to 48 hours after exposure.

**Skin Contact:** Wash gently and thoroughly with warm water (use non-abrasive soap if necessary) for 10-20 minutes or until product is removed. Under running water, remove contaminated clothing, shoes and leather goods (e.g. watchbands and belts) and completely decontaminate them before reuse or discard. If irritation persists, repeat flushing and seek medical attention.

**Eye Contact:** Immediately flush the contaminated eye(s) with lukewarm, gently flowing water for 20 minutes or until the product is removed, while holding the eyelid(s) open. Take care not to rinse contaminated water into the unaffected eye or onto the face. Obtain medical attention immediately. Take special care if exposed person is wearing contact lenses.

**Ingestion:** If swallowed, do NOT induce vomiting. Wash mouth with water and contact a Poisons Information Centre, or call a doctor.

# DIRECTIONS FOR USE

Use only as directed. See separate leaflet.



L/A-SA/NB-CHEUL1016 5.01 06.23